MANUAL Little People MERCHANDISING ELEMENTS

Modular frame

Modular shelf clamp


Little People Brand items

Modular stepped shelf extender (optional)





for more information visit www.howtomattel.com






- A) the tubes of 850 mm are used at height between 1000-1550 mm.
- B) pre assembled side support cover heights between 1450-2250 mm.
- C) the horizontal tube of 850 mm covers width between 1000-1400 mm.
- D) the horizontal tube of 550 mm covers width between 740-1000 mm.
- an extension set is available to cover wider presentations










the frame is now ready to mount the brand items

more details on stepped shelving on page 4


more details on modular clamp on next page


tighten all clamps


Modular shelf clamp




- 1) the sliding part can be used in two positions to avoid obstructions
- 2) this additional bolt+nut can be used only on wire shelves







sliding part vertical used with limited back space




typical wire shelf situation note the additional bolt on shelf



shelf clamp mounted with Hot Wheels brand strips

Little People Brand items



A) all brandstrips and covers can be cut to size with scissors.

Important:


an extension set is available to cover wider presentations and contains additional header elements



cut horizontal covers at equal length the header will conceal the small gap

1

5



click hor. covers to the frame




firmly tighten the clips



corner piece in right position




place vertical brand strips




note connection of strips

Little People Brand items






clips should not interfere with clamps



7


tilt the header in position

cut the lower parts to fit keep the brand frame 10 cm from the floor



press the edges down note the gap in the middle

Modular stepped shelf extension



- 1) the sliding part can be used in two positions to avoid obstructions
- 2) this additional bolt+nut is normally used on wire shelves



the stepped shelf extender is used when shelfs have different depth



the extension is first mounted to the clamp position the extender on the desingated shelf lock the extender with a short bolt to the sliding part